PR PeaknmmeasuredUV/VIS855PR AbsODmeasuredUV/VIS1SPR PeaknmmeasuredUV/VIS508SPR AbsODmeasuredUV/VIS508SPR AbsODmeasuredUV/VIS0.2HmeasuredExpt.7eta PotentialmVmeasuredDLS33biameternmmeasuredTEM10engthnmmeasuredTEM45spect Ratiocalc4.55.6E+11Vt. conc.mg/mLcalc0.035concentrationppmcalc35Vt %%calc0.035%MolaritynMcalc0.925Molar Ext.M-1cm-1calc1.1E+09TABmMmeasuredS3			d nanoparticle for			
roduct Number A12-10-850-CTAB-DIH-1-25 ot # 12N650-13085 orm Gold Colloid apping Agent CTAB folution 18MEG DI Water ource 12G133 PR Peak nm measured UV/VIS 855 PR Abs OD measured UV/VIS 1 SPR Peak nm measured UV/VIS 0.2 H measured Expt. 7 teta Potential mV measured DLS 333 tiameter nm measured TEM 10 ength nm measured TEM 10 ength nm measured TEM 45 ispect Ratio Calc 0.035 foncentration ppm Calc 0.035 foncentration ppm Calc 0.035 foncentration ppm Calc 0.035 foncentration ppm Calc 0.035 folarity nM calc 0.0255 tolarity nM calc 0.0255 tolarity nM calc 1.1E+09 TAB mM measured 3 folume mL measured 7/8/2023 xp Date 1.25 not folarity nA calc 1.1E+09 TAB mM measured 3 folume mL measured 1/4/2024 tex Schoen, Manager Quality Control	Certificate o	f Analysis				
roduct Number A12-10-850-CTAB-DIH-1-25 ot # 12N650-13085 orm Gold Colloid apping Agent CTAB folution 18MEG DI Water ource 12G133 PR Peak nm measured UV/VIS 855 PR Abs OD measured UV/VIS 1 SPR Peak nm measured UV/VIS 0.2 H measured Expt. 7 teta Potential mV measured DLS 333 tiameter nm measured TEM 10 ength nm measured TEM 10 ength nm measured TEM 45 ispect Ratio Calc 0.035 foncentration ppm Calc 0.035 foncentration ppm Calc 0.035 foncentration ppm Calc 0.035 foncentration ppm Calc 0.035 folarity nM calc 0.0255 tolarity nM calc 0.0255 tolarity nM calc 1.1E+09 TAB mM measured 3 folume mL measured 7/8/2023 xp Date 1.25 not folarity nA calc 1.1E+09 TAB mM measured 3 folume mL measured 1/4/2024 tex Schoen, Manager Quality Control						
ot # 12N650-13085 orm Gold Colloid capping Agent CTAB colution 18MEG DI Water fource 12G133 PR Peak nm measured UV/VIS 1 SPR Peak nm measured UV/VIS 0.2 H measured Expt 7 eta Potential mV measured DLS 33 liameter nm measured TEM 10 ength nm measured TEM 10 ength nm measured TEM 45 concentration nps/mL calc 0.035 concentration ppm calc 0.025 tolar Ext. M-1cm-1 calc 1.1E+09 TAB mM measured 3 folume mL measured 25 hate 7/8/2023 xp Date 1/4/2024						
orm Gold Colloid CTAB Gold Colloid CTAB Gold Colloid CTAB Gold Colloid 18MEG DI Water Gold Colloid 18MEG DI Water 12G133 Gold Colloid 12G13 G					-25	
apping Agent CTAB   colution 18MEG DI Water   cource 12G133   PR Peak nm   PR Abs OD   SPR Peak nm   measured UV/VIS   SPR Abs OD   M measured   UV/VIS 0.2   H measured   Eta Potential mV   measured TEM   iameter nm   nm measured   tiameter nm   nm measured   tvitonentration nps/mL   calc 5.6E+11   vt. conc. mg/mL   calc 0.035   concentration ppm   calc 0.035%   tolar Ext. M-1cm-1   vt. % calc 0.0035%   tolar Ext. M-1cm-1   calc 1.1E+09   tAbsorbance 7/8/2023   vp Date 1/4/2024						
olution 18MEG DI Water   ource 12G133   JPR Peak nm   PR Abs OD   SPR Peak nm   measured UV/VIS   SPR Peak nm   measured UV/VIS   SPR Peak nm   measured UV/VIS   SPR Abs OD   measured UV/VIS   SPR Abs OD   measured UV/VIS   SPR Abs OD   measured Expt.   T eta Potential   mV measured   measured TEM   iameter nm   measured TEM   ispect Ratio calc   concentration np/mL   calc 0.0035%   tolar Ext. M-1cm-1   calc 0.0035%   tolar Ext. M-1cm-1   calc 0.0035%   olume mL   measured 25      ate 7/8/2023   xp Date 1/4/2024 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
PR Peak nm measured UV/VIS 855 PR Abs OD measured UV/VIS 1 SPR Peak nm measured UV/VIS 0.2 H measured Expt. 7 eta Potential mV measured DLS 33 biameter nm measured TEM 10 ength nm measured TEM 45 speet Ratio calc 4.5 concentration nps/mL calc 5.6E+11 Vt. conc. mg/mL calc 0.035 concentration ppm calc 35 Vt % calc 0.0035% folarity nM calc 0.925 folarity nM calc 1.1E+09 TAB mM measured 3 folume mL measured 25 hate 7/8/2023 xp Date 1/1/2024				lator		
PR Abs OD measured UV/VIS 1 SPR Peak nm measured UV/VIS 508 SPR Abs OD measured UV/VIS 0.2 H measured Expt. 7 eta Potential mV measured DLS 33 piameter nm measured TEM 10 ength nm measured TEM 45 concentration nps/mL calc 5.6E+11 Vt. conc. mg/mL calc 0.035 concentration ppm calc 35 Vt % % calc 0.0035% folarity nM calc 0.925 folar Ext. M-1cm-1 calc 1.1E+09 TAB mM measured 3 folume mL measured 25 measured 25 Mate 7/8/2023 xp Date 1/4/2024	Source			valei		
PR Abs OD measured UV/VIS 1 SPR Peak nm measured UV/VIS 508 SPR Abs OD measured UV/VIS 0.2 H measured Expt. 7 eta Potential mV measured DLS 33 piameter nm measured TEM 10 ength nm measured TEM 45 concentration nps/mL calc 5.6E+11 Vt. conc. mg/mL calc 0.035 concentration ppm calc 35 Vt % % calc 0.0035% folarity nM calc 0.925 folar Ext. M-1cm-1 calc 1.1E+09 TAB mM measured 3 folume mL measured 25 measured 25 Mate 7/8/2023 xp Date 1/4/2024						
SPR Peak nm measured UV/VIS 508   SPR Abs OD measured Expt. 7   eta Potential mV measured DLS 33   piameter nm measured TEM 10   ength nm measured TEM 45   sopect Ratio calc 4.5 508   concentration nps/mL calc 0.035   concentration ppm calc 0.035   concentration ppm calc 0.0035%   folarity nM calc 1.1E+09   tAB mM measured 3   folar Ext. M-1cm-1 calc 1.1E+09   tAB mM measured 25   mate 7/8/2023 1/4/2024   lex Schoen, Manager Quality Control 1/4/2024 1/4/2024	SPR Peak	nm	measured	UV/VIS	855	
SPR Abs OD measured UV/VIS 0.2   H measured Expt. 7   eta Potential mV measured DLS 33   jameter nm measured TEM 10   ength nm measured TEM 45   spect Ratio calc 4.5 5.6E+11   vt. conc. mg/mL calc 0.035   concentration ppm calc 0.035%   tocact 0.0035% 0.0035%   tolarity nM calc 0.0035%   tolarity nM calc 0.0035%   tolar Ext. M-1cm-1 calc 1.1E+09   TAB mM measured 3   folume mL measured 25   nate 7/8/2023 1/4/2024   lex Schoen, Manager Quality Control Image: Control Image: Control	SPR Abs	OD				
H measured Expt. 7   eta Potential mV measured DLS 33   piameter nm measured TEM 10   ength nm measured TEM 45   spect Ratio calc 4.5 5   concentration nps/mL calc 0.035   concentration ppm calc 0.035   concentration ppm calc 0.035   concentration ppm calc 0.0035%   tolarity nM calc 0.925   tolar Ext. M-1cm-1 calc 1.1E+09   TAB mM measured 3   folume mL measured 25   mate 7/8/2023 1/4/2024   lex Schoen, Manager Quality Control Image: Control Image: Control	LSPR Peak					
eta Potential mV measured DLS 33 piameter nm measured TEM 10 ength nm measured TEM 45 spect Ratio calc 4.5 concentration nps/mL calc 5.6E+11 vt. conc. mg/mL calc 0.035 concentration ppm calc 0.0035% tolarity nM calc 0.0035% lolarity nM calc 0.925 lolar Ext. M-1cm-1 calc 1.1E+09 TAB mM measured 3 rolume mL measured 25 pate 7/8/2023 xp Date 1/4/2024 lex Schoen, Manager Quality Control		OD				
hiameter nm measured TEM 10 ength nm measured TEM 45 spect Ratio calc 4.5 concentration nps/mL calc 5.6E+11 Vt. conc. mg/mL calc 0.035 concentration ppm calc 35 vt % % calc 0.0035% holarity nM calc 0.925 holar Ext. M-1cm-1 calc 1.1E+09 TAB mM measured 3 folume mL measured 25 hate 7/8/2023 xp Date 1/4/2024 lex Schoen, Manager Quality Control	pH					
ength nm measured TEM 45 spect Ratio calc 4.5 concentration nps/mL calc 5.6E+11 Vt. conc. mg/mL calc 0.035 concentration ppm calc 35 Vt % % calc 0.0035% tolarity nM calc 0.925 tolar Ext. M-1cm-1 calc 1.1E+09 TAB mM measured 3 rolume mL measured 25 Nate 7/8/2023 xp Date 1/4/2024 Lex Schoen, Manager Quality Control						
spect Ratio calc 4.5 concentration nps/mL calc 5.6E+11 Vt. conc. mg/mL calc 0.035 concentration ppm calc 35 Vt % % calc 0.0035% folarity nM calc 0.925 folar Ext. M-1cm-1 calc 1.1E+09 TAB mM measured 3 folume mL measured 25 vate 7/8/2023 xp Date 1/4/2024 Jex Schoen, Manager Quality Control						
concentration nps/mL calc 5.6E+11   vt. conc. mg/mL calc 0.035   concentration ppm calc 0.035   concentration ppm calc 0.035   concentration ppm calc 0.035%   folarity nM calc 0.0035%   folar Ext. M-1cm-1 calc 1.1E+09   TAB mM measured 3   rolume mL measured 25   vate 7/8/2023 7/8/2023   xxp Date 1/4/2024 1/4/2024						
Vt. conc. mg/mL calc 0.035 concentration ppm calc 35 vt % % calc 0.0035% tolarity nM calc 0.925 tolar Ext. M-1cm-1 calc 1.1E+09 TAB mM measured 3 rolume mL measured 25 hate 7/8/2023 xp Date 1/4/2024 lex Schoen, Manager Quality Control	•	nns/ml				
concentrationppmcalc35 $Vt \%$ %calc0.0035%holaritynMcalc0.925holar Ext.M-1 cm-1calc1.1E+09TABmMmeasured3rolumemLmeasured25hate7/8/20231/4/2024ate1/4/20241/4/2024Lex Schoen, Manager Quality Control1/4/2024	Wt. conc.					
vt % % calc 0.0035% tolarity nM calc 0.925 tolar Ext. M-1cm-1 calc 1.1E+09 TAB mM measured 3 volume mL measured 25 thate 7/8/2023 txp Date 1/4/2024 Uex Schoen, Manager Quality Control	Concentration	-				
holarity nM calc 0.925 holar Ext. M-1cm-1 calc 1.1E+09 TAB mM measured 3 volume mL measured 25 holar Ext. M-1cm-1 calc 1.1E+09 TAB mM measured 25 holar Ext. M-1cm-1 calc 1.1E+09 T/8/2023 holar Ext. M-1cm-1 calc 1.1E+09 Holar Ext. M-1cm-1 calc 1.1E+09	Wt %					
Nolar Ext. M-1cm-1 calc 1.1E+09 TAB mM measured 3 olume mL measured 25 T/8/2023 T/8/2024 T/8/2023 T/8/2023 T/8/2024 T/8/2024 T/8/2023 T/8/2024 T/	Molarity					
rolume mL measured 25 pate 7/8/2023 ixp Date 1/4/2024 Absorbance 1.25 1.00 0.75 0.50 0.25 0.00	Molar Ext.	M-1cm-1	calc		1.1E+09	
Pate 7/8/2023 1/4/2024 Nex Schoen, Manager Quality Control	СТАВ	mM	measured			
1/4/2024 Absorbance 1.25 1.00 0.75 0.50 0.25 0.00	Volume	mL	measured		25	
1/4/2024 Absorbance 1.25 1.00 0.75 0.50 0.25 0.00	Data				7/8/2022	
Absorbance 1.25 1.00 0.75 0.50 0.25 0.00						
Absorbance					1/4/2024	
1.25 1.00 0.75 0.50 0.25 0.00	Alex Schoen, Ma	nager Quality (	Control			
1.25 1.00 0.75 0.50 0.25 0.00	A b a a sh					No No
1.00 0.75 0.50 0.25 0.00		· · · ·				
0.75 0.50 0.25 0.00					k ,	T
	1.00					
	0.75	<b>├ / /</b>				La la
	(1 cm)					- BUIL
	g 0.50					
	0.25	/  \		Mill I I		(la
400 600 800 1000						
	400 6	800 1	000			