		N O P			
Cortificate of				99	
Certificate of	Analysis				
Product Family		Nanopartz G	old Nanoroc	ls	
Product Number		A12-70-808-	CTAB-DIH-1	-25	
Lot #		12H210-915	7		
Form		Gold Colloid			
Capping Agent		CTAB			
Solution		18MEG DI W	/ater		
Source		12H210			
SPR Peak	nm	measured	UV/VIS	800	
SPR Abs	OD	measured	UV/VIS	1.1	
LSPR Peak	nm	measured	UV/VIS	530	
LSPR Abs	OD	measured	UV/VIS	0.85	
pH		measured	Expt.	6	
Zeta Potential	mV	measured	DLS	33	
Diameter	nm	measured	TEM	70	
Length	nm	measured	TEM	140	
Aspect Ratio		calc		2.0	
Concentration	nps/mL	calc		6.4E+09	
Wt. conc.	mg/mL	calc		0.055	
Concentration	ppm	calc		55	
Wt %	%	calc		0.0055%	
Molarity	nM	calc		0.011	
Molar Ext.	M-1cm-1	calc		1.0E+11	
CTAB	mM	measured		5	
Volume	mL	measured		25	
Date				7/9/2023	
Exp Date				1/5/2024	
Alex Schoen, Mar	nager Quality C	ontrol			
Absorbance				-	
				-	
1.25				2871	
1.00			1	AULS	
	/ \		NE		
€ 0.75	+ / + \-		29	Triffic -	
(F) 0.70		6	Y.	THE .	
e 0.50	\sim		A.4.		
0.25					
0.00					
400 6	00 800 10	000			
			95 ym/pix 1 9/22/2017	500 nm #v=100.0kV Direct Mag: 49000x AMT Comera System	