The gold nanoparticle for nanotechnology Certificate of Analysis Product Family Accurate Spherical Gold Nanoparticles Product Number A11-65-CIT-DIH-1-25 Lot # SPC349-13804 Form Gold Colloid Capping Agent Citrate Solution 18MEG DI Water Solution measured VIVIS 1.1 PDI stddev/size measured Orion Orion 7 Zeta Potential mV measured DLS ocncentration npm calc 0.0065% Molarity M Wt. % calc OLS .32E Diate 1/11/2024			M I N 🤘	ГА	R⊺z™	
Product Family Accurate Spherical Gold Nanoparticles Product Number A11-65-CIT-DIH-1-25 Lot # SPC349-13804 Form Gold Colloid Capping Agent Citrate Solution 18MEG DI Water Source SPC349 Diameter nm measured UVVIS 1.1 PDI stddev/size measured TEM, DLS, 65 SPR Abs OD measured UVVIS 1.1 PDI stddev/size measured OV/VIS 1.1 PDI stddev/size measured OV/VIS 537 pH measured DLS -32 Concentration nps/mL calc 1.99E+10 Wt conc. mg/mL calc 0.006 ppm calc 55 Wt % % calc 0.0055% Molarity uM calc 3.31E-05 Molar Ext. M-1cm-1 calc 3.32E+10 Citrate M-1cm-1 calc 2.5 Date 1.1 Absorbance 1.25 0.25 0.06 0.00		Т	he gold nanopa	rticle for nanote	echnology	
Product Family Accurate Spherical Gold Nanoparticles Product Number A11-65-CIT-DIH-1-25 Lot # SPC349-13804 Form Gold Colloid Capping Agent Citrate Solution 18MEG DI Water Source SPC349 Diameter nm measured UVVIS 1.1 PDI stddev/size measured TEM, DLS, 65 SPR Abs OD measured UVVIS 1.1 PDI stddev/size measured OV/VIS 1.1 PDI stddev/size measured OV/VIS 537 pH measured DLS -32 Concentration nps/mL calc 1.99E+10 Wt conc. mg/mL calc 0.006 ppm calc 55 Wt % % calc 0.0055% Molarity uM calc 3.31E-05 Molar Ext. M-1cm-1 calc 3.32E+10 Citrate M-1cm-1 calc 2.5 Date 1.1 Absorbance 1.25 0.25 0.06 0.00	Certificate	of Analys	is			
Product Number A11-65-CIT-DIH-1-25 Lot # SPC349-13804 Form Gold Colloid Capping Agent Citrate Solution 18MEG DI Water Source SPC349 Diameter nm measured UVVIS SPR Abs OD measured UVVIS SPR Peak nm measured UVVIS SPR Peak nm measured UVVIS SPR Abs OD measured UVVIS SPR Peak nm measured UVVIS SPR Peak nm measured DLS Goncentration ns/mL calc 1.99E+10 Wt. conc. mg/mL calc 0.065% Molarity uM mode 25 Molarity uM calc 3.32E+10 Citrate mM measured 5 Volume mL measured 7/9/2024	Certificate					
Product Number A11-65-CIT-DIH-1-25 Lot # SPC349-13804 Form Gold Colloid Capping Agent Citrate Solution 18MEG DI Water Source SPC349 Diameter nm measured UVVIS SPR Abs OD measured UVVIS SPR Peak nm measured UVVIS SPR Peak nm measured UVVIS SPR Abs OD measured UVVIS SPR Peak nm measured UVVIS SPR Peak nm measured DLS Goncentration ns/mL calc 1.99E+10 Wt. conc. mg/mL calc 0.065% Molarity uM mode 25 Molarity uM calc 3.32E+10 Citrate mM measured 5 Volume mL measured 7/9/2024	Durit of Examin		A			
Lot # SPC349-13804 Gold Colloid Capping Agent Citrate Solution 18MEG DI Water Source SPC349 UVVIS 65 UVVIS 65 UVVIS 5PR Abs OD measured UV/VIS 1.1 PDI stddev/size measured TEM 4% SPR Peak nm measured Or/Ion 7 Zeta Potential mV measured DLS -32 Concentration nps/mL calc 1.99E+10 UVt conc. mg/mL calc 0.006 ppm calc 55 Utt % % % calc 0.0055% Molarity UM calc 3.31E+05 Molar Ext. M-1cm-1 calc 3.32E+10 Citrate mM measured 5 Volume mL measured 25 Date 1/11/2024 Alex Schoen, Manager Quality Control 7					vanoparticles	
Form Gold Colloid Image: Citrate Image: Citrate <td></td> <td>er</td> <td></td> <td></td> <td></td> <td></td>		er				
Capping Agent Citrate Image: Citrat						
Solution 18MEG DI Water Source SPC349 Diameter nm measured TEM, DLS, 65 SPR Abs OD measured UV/VIS 1.1 PDI stddev/size measured UV/VIS 537 PH measured Orion 7 Zeta Potential mV measured DLS -32 Concentration nps/mL calc 0.06 ppm calc 55 Wt. % calc 0.0055% Molarity uM calc 3.31E-05 Molar Ext. M-1cm-1 calc 3.32E+10 Citrate mL measured 5 Volume mL measured 25 Date 1/11/2024 Exp Date 1/11/2024 Absorbance 1/2 0,05 0,25 0,00 0,00 800 1000						
Source SPC349 Diameter nm measured UV/VIS 65 SPR Abs OD measured UV/VIS 1.1 PDI stddev/size measured TEM 4% SPR Peak nm measured UV/VIS 537 pH measured Orion 7 Zeta Potential mV measured DLS -32 Concentration nps/mL calc 0.06 ppm calc 55 Wt. % % calc 0.0055% Molar Ext. M-1cm-1 calc 3.31E-05 Molar Ext. M-1cm-1 calc 3.32E+10 Citrate mM measured 5 Volume mL measured 25 Date 1/1/1/2024 Exp Date 7/9/2024 Alex Schoen, Manager Quality Control						
Diameter nm measured average average TEM, DLS, UVVIS 65 SPR Abs OD measured UV/VIS 1.1 PDI stddev/size measured UV/VIS 537 pH measured Orion 7 2 Zeta Potential mV measured DLS -32 Concentration nps/mL calc 1.99E+10 Wt. conc. mg/mL calc 0.06 ppm calc 0.0055% 0 Molarity uM calc 3.31E-05 Molarity uM calc 3.32E+10 Citrate mM measured 25 Date mM measured 25 Date 11/11/2024 25 Alex Schoen, Manager Quality Control Image: Control Image: Control Molarity 0.00 0.00 0.00 0.02 0.00 600 800 1000				vater		
Draineter IIII average UVVIS 0.00 SPR Abs OD measured UV/VIS 1.1 PDI stddev/size measured TEM 4% SPR Peak nm measured UV/VIS 537 PH measured Orion 7 Zeta Potential mV measured DLS -32 Concentration nps/mL calc 1.99E+10 Wt. conc. mg/mL calc 0.006 ppm calc 55 Wt. % calc 0.005% Molarity uM calc 3.31E-05 Molar Ext. M-1cm-1 calc 3.32E+10 Citrate mM measured 5 Volume mL measured 25 Date 1/1/1/2024 Exp Date 7/9/2024 Alex Schoen, Manager Quality Control Absorbance	Source		SPC349			
SPR Abs OD measured UVVIS 1.1 PDI stddev/size measured UVVIS 1.1 PH measured UV/VIS 537 CCONCENTRATION NP/ML calc Orion 7 Zeta Potential mV measured DLS -32 CCONCENTRATION nps/ML calc 1.99E+10 Wt. conc. mg/mL calc 0.06 ppm calc 55 000 CCONCENTRATION nps/ML calc 0.0055% Molarity UM measured 5 Volume mL measured 5 Volume mL measured 25 000 Molar Ext. M-1 calc 0.00 CCONCENTRATION NPARATION N	Diameter	nm	measured		65	
PDI stddev/size measured TEM 4% SPR Peak nm measured UV/VIS 537 pH measured Orion 7 Zeta Potential mV measured DLS -32 Concentration nps/mL calc 1.99E+10 Wt. conc. mg/mL calc 0.06 ppm calc 55 Wt. % % calc 0.0055% Molarity uM calc 3.31E-05 Molar Ext. M-1cm-1 calc 3.32E+10 Citrate mM measured 5 Volume mL measured 25 Date 1/11/2024 Exp Date 7/9/2024 Alex Schoen, Manager Quality Control			average			
SPR Peak nm measured UV/VIS 537 pH measured Orion 7 Zeta Potential mV measured DLS -32 Concentration nps/mL calc 1.99E+10 Wt. conc. mg/mL calc 0.06 ppm calc 0.055% Molarity uM calc 3.31E-05 Molar Ext. M-1cm-1 calc 3.32E+10 Citrate mM measured 5 Volume mL measured 25 Date 1/11/2024 24 Exp Date 7/9/2024 24 Alex Schoen, Manager Quality Control 7/9/2024 24		-				
pH measured Orion 7 Zeta Potential mV measured DLS -32 Concentration nps/mL calc 1.99E+10 0 Wt. conc. mg/mL calc 0.06 0 ppm calc 0.0055% 0 0 Molarity uM calc 3.31E-05 0 Molarity uM calc 3.32E+10 0 Citrate mM measured 5 0 Volume mL measured 25 0 Date 1 1/11/2024 0 0 Alex Schoen, Manager Quality Control 100 100 0 0		stddev/size	measured			
Zeta Potential mV measured DLS 32 Concentration nps/mL calc 1.99E+10 Wt. conc. mg/mL calc 0.06 ppm calc 0.0055% Molarity uM calc 3.31E-05 Molarity uM calc 3.32E+10 Citrate mM measured 5 Volume mL measured 25 Date 1/11/2024 25 Exp Date 7/9/2024 24 Alex Schoen, Manager Quality Control 7/9/2024 24		nm	measured		537	
Concentration nps/mL calc 1.99E+10 Wt. conc. mg/mL calc 0.06 ppm calc 0.0055% 0 Wt. % % calc 0.0055% 0 Molarity uM calc 3.31E-05 0 Molarity uM calc 3.32E+10 0 Citrate mM measured 5 0 Volume mL measured 25 0 Date 1/11/2024 0 0 0 Alex Schoen, Manager Quality Control 0 0 0 0 Mbsorbance 1.25 0 0 0 0 0 0.25 0.5	pН		measured	Orion	-	
Wt. conc. mg/mL calc 0.06 ppm calc 55 Wt. % % calc 0.0055% Molarity uM calc 3.31E-05 Molarity uM calc 3.32E+10 Citrate mM measured 5 Volume mL measured 25 Date 1/11/2024 25 Exp Date 7/9/2024 1 Alex Schoen, Manager Quality Control 1 1 Absorbance 1.25 1 0.25 0.5 0.5 0.25 0.40 600 800 1000	Zeta Potential		measured	DLS		
ppm calc 55 Wt. % % calc 0.0055% Molarity uM calc 3.31E-05 Molar Ext. M-1cm-1 calc 3.32E+10 Citrate mM measured 5 Volume mL measured 25 Date 1/11/2024 Exp Date 7/9/2024 Alex Schoen, Manager Quality Control Absorbance 1.25 0.5 0.5 0.5 0.25 0.5 0.25 0.60 800 1000		nps/mL	calc		1.99E+10	
Wt. % % calc 0.0055% Molarity uM calc 3.31E-05 Molar Ext. M-1cm-1 calc 3.32E+10 Citrate mM measured 5 Volume mL measured 25 Date 1/11/2024 Exp Date 7/9/2024 Alex Schoen, Manager Quality Control 7/9/2024	Wt. conc.	mg/mL				
Molarity uM calc 3.31E-05 Molar Ext. M-1cm-1 calc 3.32E+10 Citrate mM measured 5 Volume mL measured 25 Date 1/11/2024 Exp Date 7/9/2024 Alex Schoen, Manager Quality Control 7/9/2024			calc		55	
Molar Ext. M-1cm-1 calc 3.32E+10 Citrate mM measured 5 Volume mL measured 25 Date 1/11/2024 Exp Date 7/9/2024 Alex Schoen, Manager Quality Control Absorbance 1.25 0.5 0.5 0.25 0.05 0.25 0.00 800 1000	Wt. %	%	calc		0.0055%	
Citrate mM measured 5 Volume mL measured 25 Date Date 1/11/2024 Exp Date 7/9/2024 Alex Schoen, Manager Quality Control Absorbance 1.25 0.75 0.5 0.25 0.25 0.05 0.25 0.05 0.25 0.0	Molarity	uM	calc		3.31E-05	
Volume mL measured 25 Date Date T/11/2024 Exp Date 7/9/2024 Alex Schoen, Manager Quality Control Absorbance 125 1.25 0.75 0.75 0.5 0.25 0.25 0.05 0.25 0.05 0.25 0.05 0.05 0.25 0.05	Molar Ext.	M-1cm-1	calc		3.32E+10	
Date Exp Date 1/11/2024 Alex Schoen, Manager Quality Control	Citrate	mM	measured		5	
Exp Date 7/9/2024 Alex Schoen, Manager Quality Control Absorbance 1.25 0.75 0.5 0.5 0.25 0.25 0.05 0.00 800 1000	Volume	mL	measured		25	
Exp Date 7/9/2024 Alex Schoen, Manager Quality Control Absorbance 1.25 0.75 0.5 0.5 0.25 0.25 0.05 0.00 800 1000	Date				1/11/2024	
Alex Schoen, Manager Quality Control						
$Absorbance \\ 1.25 \\ 0.75 \\ 0.75 \\ 0.25 \\ 0.05 \\ 0$					113/2024	
$\left(\begin{array}{c} 1.25 \\ 1 \\ 0.75 \\ 0.5 \\ 0.25 \\ 0 \\ 400 \end{array} \right) \left(\begin{array}{c} 0.75 \\ 0.25 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ $	Alex Schoen, M	lanager Qua	lity Control			
$\left(\begin{array}{c} 1.25 \\ 1 \\ 0.75 \\ 0.5 \\ 0.25 \\ 0 \\ 400 \end{array} \right) \left(\begin{array}{c} 0.75 \\ 0.25 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ $	Abaarbanaa	1	1	Т.	9	
$\left(\begin{array}{c} 0.75 \\ 0.5 \\ 0.25 \\ 0.400 \end{array} \right) \left(\begin{array}{c} 0.00 \\ 0.00 \end{array} \right) \left(\begin{array}{$						1220 2000
	1.25				200200.0	-0.00.00 C
		Λ			2 2050	
	1					2200000
	0.75					Frankane.
	- 0.75	/ \				
	Ē 05					0.000.000
	00			1	229-2-276	1
	0.25	<u> </u>	↓			2000 5
400 600 800 1000					X2 25 22.	00 0 2 00 A
SPC349 2100x-2-111					000	
	400	600 80	00 1000		262 2	10
	-	Wayalan	ath (nm)	Ca1: 0	9 21000x-2.tif .668003 nm/pix .52 a 04/30/12	100 nm HV=80.0kV