		The gold nanopa	ir licle for nanote	echnology		
Certificate	of Analys	sis				
Due di cet Consilie		Accurate Co	hariaal Cald N	lan an antial a		
Product Family Product Number		Accurate Sp A11-90-CIT-I		Nanoparticles		
Lot #	#1 │	11J304-1321				
Form		Gold Colloid				
Capping Agent		Citrate				
Solution		18MEG DI w	/ater			
Source		11J304	dici			
Course		110001				
Diameter	nm	measured	TEM, DLS,	90		
Diameter	nm	average	UVVÍS	90		
SPR Abs	OD	measured	UV/VIS	1.1		
PDI	stddev/size	measured	TEM	3%		
SPR Peak	nm	measured	UV/VIS	562		
pН		measured	Orion	7		
	mV	measured	DLS	-38		
Concentration	nps/mL	calc		7.49E+09		
Wt. conc.	mg/mL	calc		0.06		
ppm		calc		55		
Wt. %	%	calc		0.0055%		
Molarity	uM	calc		1.25E-05		
Molar Ext.	M-1cm-1	calc		8.81E+10		
Citrate	mM	measured		5		
Volume	mL	measured		25		
Date				1/11/2024		
Exp Date				7/9/2024		
01 : 0:		"' 0 ' 1				
Chris Sievers, I	Manager Qua	ality Control				
					- 1	
Absorbance						
1.25						
1 1	lacksquare					
	/\			200		
0.75 OC (1cm)	/ \					
0.5	/ \ 					
0.25						
0.25						
0 -		00 1000				
400	600 8	00 1000				
					220	