Contificata			article for nanoted	chnology	
Certificate	of Analys	SIS			
Product Family	,	Cubic Gold N	Vanoparticles		
Product Number		A1C-70-CIT-			
Lot #		SPEC			
Form		Gold Colloid			
Functionalization		Citrate			
Solution		18MEG DI water			
Source		1AJ27			
Diameter	nm	measured	DLS,TEM,UVVIS	70	
SPR Abs	OD	measured	UV/VIS	1	
PDI	stddev/size	measured	DLS/TEM	10%	
SPR Peak	nm	measured	UV/VIS	563	
pН		measured	Orion	7	
Zeta Potential	mV	measured	DLS	-31	
Concentration	nps/mL	calc		1.45E+10	
Wt. conc.	mg/mL	calc		0.1	
ppm		calc		50	
Wt. %	%	calc		0.0050%	
Molarity	uM	calc		2.41E-05	
Molar Ext.	M-1cm-1	calc		4.15E+10	
Citrate	mM	measured		3	
Volume	ml	measured		5	
Date				10/26/2023	
Exp Date				1/24/2024	
Alex Schoen, N	⊥ ⁄Ianager Qua	lity Control			
			40, 40,		
Absorbai	nce				
1.25			44.50	Part Street	
	lack		3334 - 3	53	
1	/\		35. 3.3.5.6	\$.	
(E) 0.75	/ 		- 1885 c	200	
0.75 OD (1cm)	/		5000 TO	120	3
00 005	^ \			S. S. Sand	
0.25			4		6
0	405	1077		-	
400	600 800	1000			